



GM Locomotive Group

M.I. 3707, REV. B* **MAINTENANCE INSTRUCTION**

AC AUXILIARY GENERATORS (BRUSHLESS TYPE)

**MODELS A-8146, A-8147, A-8147-M1,
2A-8147, 3A-8147, A-8589**

Document Number MM001001 (DE-LP)

June, 1989

Electro-Motive Division
General Motors Corporation
La Grange, Illinois 60525 USA
Telex: 270041 McCook, IL USA
Cable: ELMO DIV La Grange, IL USA
Telephone: 312-387-6000

*Publication revised and supersedes previous issues of this number.

Contents

INTRODUCTION	1
DESCRIPTION	3
ROTOR	3
STATOR	4
EXCITER	4
END FRAMES	4
COMPARISON OF MODELS	4
MAINTENANCE	5
ROUTINE CLEANING	5
LUBRICATION	5
DISASSEMBLY	5
INSPECTION AND TEST	8
RECTIFIER ASSEMBLY	8
EXCITER ARMATURE AND ROTATING ALTERNATOR FIELD ASSEMBLY ..	10
EXCITER ARMATURE ASSEMBLY	12
ROTATING ALTERNATOR FIELD ASSEMBLY	14
FAN ASSEMBLY (If unit so equipped)	15
BEARING HOUSING	15
ALTERNATOR STATOR ASSEMBLY and EXCITER FIELD ASSEMBLY	16
ALTERNATOR STATOR ASSEMBLY	17
ALTERNATOR STATOR ASSEMBLY LEADS	18
VARNISH DIP AND BAKE	18
ALTERNATOR STATOR REPLACEMENT	18
EXCITER FIELD ASSEMBLY	19
EXCITER FIELD LEADS	20
REASSEMBLY	20
ROTATING FIELD and ARMATURE ASSEMBLY	20
ROTOR TO STATOR FRAME REASSEMBLY	23
END FRAMES AND BEARING HOUSINGS	24
FINAL TESTING	25
GENERATED RESIDUAL VOLTAGE	25
NO LOAD SATURATION	28
SYNCHRONOUS IMPEDANCE	28
SELF-EXCITE and REGULATION TEST	29
SERVICE DATA	30
SPECIFICATIONS	30
MATERIAL LIST	30

Figures

1.	Model A-8589 Auxiliary Generator	1
2.	Models A-8146, A-8147, A-8147-M1, 2A-8147, 3A-8147	2
3.	Model A-8589	3
4.	Rectifier Assembly	7
5.	Rectifier Assembly Configurations	9
6.	Armature and Field Assembly	11
7.	Bearing Housing	16
8.	Frame-To-Stator-Pin Holes Location	19
9.	Auxiliary Generator Exploded View	21
10.	End Frame and Bearing Housing Grease	22
11.	Bearing Assembly, Cross-Section	25
12.	Test Setup	27

INTRODUCTION

All of these brushless AC auxiliary generators are series wound, alternating current, three phase alternators. They are used to excite a larger generator in heavy equipment.


Model A-8146 is used on off-highway vehicles and Models A-8147, A-8147-M1, 2A-8147, 3A-8147, and A-8589 are used on locomotives. Refer to Figure 1.



Figure 1. Model A-8589 Auxiliary Generator

Each generator consists of a rotating alternator field assembly (rotor), alternator stator assembly (stator), an internal exciter, ball bearings, end frames, and all models with the exception of Model A-8589 are equipped with a cooling fan. Refer to Figure 2 on page 2 or Figure 3 on page 3, depending upon the model.


The generators are directly driven at various speeds by an auxiliary power take-off. These generators supply 55 VAC, three phase power, with an output capacity of 18 or 24 kilowatts.



- | | |
|--|----------------------------|
| 1- END-FRAME-TO-SHAFT SEAL | 10- FAN |
| 2- BEARING-HOUSING-TO-END-HOUSING GASKET | 11- BALL BEARING |
| 3- END HOUSING | 12- BEARING HOUSING |
| 4- EXCITER FIELD ASSEMBLY | 13- 360° EXHAUST |
| 5- STATOR FRAME | 14- MOUNTING PAD |
| 6- FRAME-TO-STATOR PIN | 15- JUNCTION BOX |
| 7- EYE BOLT | 16- POWER LEADS |
| 8- STATOR ASSEMBLY | 17- AIR INLET |
| 9- ROTATING FIELD ASSEMBLY | 18- EXCITER FIELD ASSEMBLY |

EE30933

Figure 2. Models A-8146, A-8147, A-8147-M1, 2A-8147, 3A-8147



- 1- END-FRAME-TO-SHAFT SEAL
- 2- BEARING-HOUSING-TO-END-HOUSING GASKET
- 3- BEARING HOUSING
- 4- END HOUSING
- 5- EXCITER FIELD ASSEMBLY
- 6- STATOR FRAME
- 7- FRAME-TO-STATOR PIN
- 8- EYE BOLT
- 9- STATOR ASSEMBLY
- 10- ROTATING FIELD ASSEMBLY
- 11- BEARING-HOUSING-TO-END-FRAME SEAL
- 12- BALL BEARING
- 13- MOUNTING PAD
- 14- POWER LEADS
- 15- EXCITER ARMATURE ASSEMBLY

EE30934

Figure 3. Model A-8589

DESCRIPTION

ROTOR

The rotor consists of field coils wound on laminated poles which are heat shrunk onto a shaft. The coils are connected in series and the leads are brought out to the rectifier mounting assembly. The coils are energized by the exciter output applied at the rectifier mounting assembly. The rotor coils are insulated with Class F insulation.

STATOR

The stator consists of coil groups embedded in semi-enclosed slots of a laminated core. This core and coil assembly is pressed and pinned into a main frame of fabricated steel construction. The stator coils are insulated with Class H insulation.

EXCITER

The internal exciter consists of a field coil assembly, an armature, and a rectifier assembly.

The exciter field coil assembly consists of a lamination assembly with twelve field coils connected in series. The exciter field assembly is insulated with Class F insulation. This assembly is bolted to a main frame.

The exciter armature has a three-phase, three-wire wye, and a twelve pole winding. This assembly is made up of conventional coil groups and slotted steel laminations, which are keyed to the armature shaft. The exciter armature is insulated with Class H insulation.

The rectifier assembly rectifies the AC output of the exciter armature and supplies DC to the rotating field coils. This assembly has a printed circuit on each side of the mounting plate.

END FRAMES

The end frames support the ball bearing housings and contain grease reservoirs.

COMPARISON OF MODELS

All models of these auxiliary generators have similar electrical characteristics, but are modified to provide different mounting arrangements and other mechanical improvements.

The differences are as follows:

Model A-8147 is the original design auxiliary generator. At the time of rebuild, the generator should be remanufactured to a Model A-8147-M1 configuration which has a bearing housing to provide a larger grease capacity for longer bearing life.

Model 2A-8147 is interchangeable with Model A-8147-M1, and has redesigned bearing caps, exciter end-frame (to ensure clamped bearing is always on the fan end), and improved ventilation. It also has improved shaft seals at both ends.

Model 3A-8147 is similar to Model 2A-8147 with an improved stator and coil assembly and exciter assembly.

Model A-8146 is mounted horizontally while the other models are mounted vertically. It is the only model with an air inlet tube protruding through the stator that allows a flexible hose from an external air supply to be attached. It is also the only model with a junction box on the side of the stator for power leads.

Model A-8589 has a few common parts with the earlier models, but is a larger, completely re-designed machine.

MAINTENANCE

The generators are designed and manufactured to provide long life and satisfying performance with a minimum of maintenance. Like any machine, however, certain maintenance is required, as determined by the operation and service to which the generator is subjected. Inspections and maintenance should be performed on the systematic basis outlined in the Scheduled Maintenance Program.

ROUTINE CLEANING

The interior and exterior of the generator should be kept clean and free of dust, dirt, oil, and water which are likely to have a detrimental effect on the insulation and performance.

As frequently as conditions warrant, the generator should be blown out with high volume, low pressure, clean, dry, compressed air (25 psi max). Avoid excessive air pressure which could damage the insulation.

Clean, bound-edge, lintless, wiping cloths should be used as necessary to remove oil, grease, and accumulations of dirt.

LUBRICATION

Grease lubricated ball bearings are assembled within the bearing housings containing grease reservoirs. During an overhaul or teardown, grease should be renewed. No additional lubrication is required.

DISASSEMBLY

The generator can be disassembled without special tools. However, repairs should not be attempted by anyone who is not an experienced electrical mechanic. The following procedures should be thoroughly studied before any repair operation is started. During disassembly, refer to Figure 2 on page 2 or Figure 3 on page 3

1. Mount generator on a sturdy stand at a suitable height from the floor.
2. Remove fan cover band, if unit is so equipped.
3. Remove shaft keys from both ends of shaft.
4. Remove bolts securing end frames (both ends) to stator.
5. Remove end frames by prying straight out.
6. Remove the rotor from the stator as follows:
 - A. Place an extension pipe over the exciter end of the shaft.

CAUTION


Protect the portion of the shaft which will be enclosed by the extension pipe to prevent damage to shaft.

- B. With the aid of a suitable hoist, raise the extension pipe until the air gap is equal around the circumference of the rotor. With the aid of a second hoist, raise the other end of the shaft until the shaft is level.
 - C. Carefully remove the rotor assembly from the stator from the end opposite the exciter, until it clears the stator assembly.
7. Place the rotor on a suitable stand or saddle.
 8. Remove bearing housings (both ends).
 9. Remove ball bearings from both ends as follows:
 - A. Heat bearing collars to soften the sealant.
 - B. Using a standard bearing or gear puller, remove bearings and collars from the shaft.

NOTE

New bearings are to be used on both ends during reassembly.

10. Remove exciter locknut and lockwasher, Figure 4 on page 7, as follows:



EE30935

Figure 4. Rectifier Assembly

- A. Disengage the tab of the lockwasher that is bent to engage a notch in the locknut.
 - B. Tap loose with a bar and hammer.
 - C. Discard lockwasher.
11. Remove the wrap of tape and remove sleeve. Retain sleeve for reuse.
 12. Carefully unsolder the two alternator (DC) field leads which pass through the core of the exciter armature assembly.
 13. Carefully unsolder the three exciter armature (AC) leads.
 14. Remove the nuts from the three mounting bolts.
 15. Remove the rectifier assembly from the shaft.




INSPECTION AND TEST

When the auxiliary generator is dismantled for repair, all parts should be carefully cleaned and carefully inspected before assembly.

RECTIFIER ASSEMBLY

1. Clean the rectifier assembly with a light "bead blast" to remove paint and dirt to expose circuit board surface to facilitate electrical contact.
2. Determine configuration of rectifier assembly. Place rectifier assembly "face up" and refer to Figure 5 on page 9.

If rectifier assembly is 4965900, originally supplied with Models A-8146, A-8147, A-8147-M1, or 2A-8147, identified by the three rectifier common bus and having rectifiers of both polarities (6 negative and 6 positive), do not replace board if damaged or replace rectifiers if they are defective. Scrap the assembly and replace with rectifier assembly 2802925.



EE30936

Figure 5. Rectifier Assembly Configurations

NOTE

Rectifier assemblies 2802925 and rectifier assembly 2803017 are not interchangeable.

- Using an ohmmeter set to RX1, check the rectifiers as follows:

NOTE

If a digital meter with a diode function, such as a John Fluke Model 8030 Multimeter, is used, a "high" flashing number, such as 1999, indicates high resistance. A steady 000, indicates a short. A steady low number, such as 300-600, indicates low resistance.

CORRECT ORIENTATION

Connect ohmmeter positive lead to lead of rectifier. Connect ohmmeter negative lead to base of rectifier. Correct orientation is indicated by low resistance, approximately 17-30 ohms.

SHORTED RECTIFIER

Connect ohmmeter positive lead to base of rectifier. Connect ohmmeter negative lead to lead of rectifier. Short indicated by near zero resistance.

OPEN CIRCUIT

An open circuit is indicated by high resistance both ways.

ACCEPTABLE RECTIFIER

Connect ohmmeter positive lead to base of rectifier. Connect ohmmeter negative lead to lead of rectifier. An acceptable rectifier is indicated by high resistance.

- Replace any rectifier not meeting requirements with rectifier 3179357.
- Torque rectifiers to 1.2-2.1 N•m (11-19 in-lbs). Align any terminal hardware removed as shown in Figure 5 on page 9. Torque hardware to 1.7-2.3 N•m (15-20 in-lbs).

EXCITER ARMATURE AND ROTATING ALTERNATOR FIELD ASSEMBLY

Clean the exciter armature and rotating alternator field assembly, Figure 6 on page 11, by blowing out dust, dirt, and other contaminants using high volume, low pressure, clean, dry, compressed air (25 psi max). Avoid excessive air pressure which could damage the insulation.

If there is remaining dirt, wipe assembly with a clean cloth dampened with a suitable solvent such as Stoddards Solvent.

WARNING

Provide adequate ventilation when using solvents. The usual precautions should be observed when handling inflammable fluids such as Stoddards Solvent which has a flash point of 46° (257° F).

In the event that the assembly is extremely dirty or oily, the surface may be cleaned with a solution such as Calgon NP-92 and steam clean. If cleaned in this manner, the assembly must be thoroughly rinsed with a copious water flush. Dry assembly in an oven at 125° C (257° F) for 4 hours.

EXCITER ARMATURE ASSEMBLY

Electrically test the exciter armature assembly as follows:

NOTE

The following formula can be used to convert resistance under ambient (room temperature) conditions to a nominal resistance at 75° C (167° F):

$$R @ 75^{\circ} C (167^{\circ} F) = R @ \text{Ambient} \times [309.5 + (\text{Ambient } T + 234.5)]$$

Where:

R=Resistance

T=Temperature

Test	A-8146, A-8147, A-8147-M1, 2A-8147	3A-8147	A-8589
Ohmmeter Resistance at 75°C (167°F)	0.430-0.476 ohms	1.693-1.884 ohms	0.839-0.927 ohms
500V Megger	10 megohms minimum	10 megohms minimum	10 megohms minimum
1500V Hi-Pot	1 second	1 second	1 second

Conduct a Surge Comparison Test, using an insulation analyzer such as a P.J. Electronics Coil Insulation Analyzer, Model 6920. Test voltage to be 1500V.

Temporarily "tag and identify" the three leads, randomly as #1, #2, and #3. Do not connect the ground lead. Connect the P. J. Electronics Analyzer as follows:

Analyzer Leads	Winding Leads	Compares
Red	1	1-2
Green	2	
Black	3	
Red	2	2-3
Green	3	
Black	1	
Red	3	1-3
Green	1	
Black	2	

The waves shown on the screen must be the same in either direction of travel (a single wave should be seen). However, if this symmetry is disturbed by a ground, shorted turn, incorrect connection, or the wrong number of turns, the waves for the two directions of travel will differ, and two waves of different shapes will appear on the screen.

If the exciter armature fails to meet the test requirements, replace the exciter armature with a new assembly.

ROTATING ALTERNATOR FIELD ASSEMBLY

Electrically test the rotating alternator field assembly as follows:

NOTE

The following formula can be used to convert resistance under ambient (room temperature) conditions to a nominal resistance at 75° C (167° F):

$$R @ 75^{\circ} C (167^{\circ} F) = R @ \text{Ambient} \times [309.5 \div (\text{Ambient } T + 234.5)]$$

Where:

R=Resistance

T=Temperature

Test	A-8146, A-8147, A-8147-M1, 2A-8147	3A-8147	A-8589
Ohmmeter Resistance at 75°C (167°F)	2.80-2.95 ohms	2.80-2.95 ohms	4.25-4.49 ohms
500V Megger	10 megohms minimum	10 megohms minimum	10 megohms minimum
1500V Hi-Pot	1 second	1 second	1 second
Watt Meter Impedance Test at 110V, 60Hz	31.8-36.9 watts	31.8-36.9 watts	14.8-17.2 watts

Conduct a Surge Comparison Test, using an insulation analyzer such as a P.J. Electronics Coil Insulation Analyzer, Model 6920. Test voltage to be 1500V.

Temporarily "tag and identify" the three leads, randomly as #1, #2, and #3. Do not connect the ground lead. Connect the P. J. Electronics Analyzer as follows:

Analyzer Leads	Winding Leads	Compares
Red	1	1-2
Green	2	
Black	3	
Red	2	2-3
Green	3	
Black	1	
Red	3	1-3
Green	1	
Black	2	

The waves shown on the screen must be the same in either direction of travel (a single wave should be seen). However, if this symmetry is disturbed by a ground, shorted turn, incorrect connection, or the wrong number of turns, the waves for the two directions of travel will differ, and two waves of different shapes will appear on the screen.

NOTE

It is not possible to remove the shaft assembly from the rotating field assembly. If the rotating field assembly is defective, it will be necessary to replace the rotating field assembly and the shaft assembly with new assemblies.

If the rotating alternator field assembly fails to meet the test requirements, the rotating alternator field assembly and the shaft assembly will have to be replaced with new assemblies

If after inspection, it is determined that the shaft assembly must be replaced, the shaft assembly and the rotating alternator field assembly will have to be replaced with new assemblies.

FAN ASSEMBLY (If unit so equipped)

Clean fan assembly. Inspect for damage, cracks, and fissures. Replace fan assembly with a new assembly if required.

BEARING HOUSING

Clean bearing housings. Inspect housings and bores. Bearing bore diameter should be 129.995-130.015 mm (5.1179"-5.1187"). Refer to Figure 7 on page 16.

Replace bearing housing with a new bearing housing if bore diameter is not within tolerance or if bearing outer race movement is apparent.




Figure 7. Bearing Housing

ALTERNATOR STATOR ASSEMBLY and EXCITER FIELD ASSEMBLY

Clean the stator and exciter field assembly by blowing out dirt, dust, and other contaminants using high volume, low pressure, clean, dry, compressed air (25 psi max.). Avoid excessive air pressure which could damage insulation.

If there is remaining dirt, wipe assembly with a clean cloth dampened with a suitable solvent such as Stoddards Solvent.

WARNING

Provide adequate ventilation when using solvents. The usual precautions should be observed when handling inflammable fluids such as Stoddards Solvent which has a flash point of 46° (257° F)

In the event that the assembly is extremely dirty or oily, the surface may be cleaned with a solution such as Calgon NP-92 and steam clean. If cleaned in this manner, the assembly must be thoroughly rinsed with a copious water flush. Dry the assembly in an oven for 4 hours at 125° C (275° F).

ALTERNATOR STATOR ASSEMBLY

Electrically test the alternator stator assembly as follows:

NOTE

The following formula can be used to convert resistance under ambient (room temperature) conditions to a nominal resistance at 75° C (167° F):

$$R @ 75^{\circ} C (167^{\circ} F) = R @ \text{Ambient} \times [309.5 + (\text{Ambient } T + 234.5)]$$

Where:

R=Resistance

T=Temperature

Test	A-8146, A-8147, A-8147-M1, 2A-8147	3A-8147	A-8589
Ohmmeter Resistance at 75°C (167°F)	0.0230-0.0254 ohms	0.0383-0.0423 ohms	0.0304-0.0335 ohms
500V Megger	10 megohms minimum	10 megohms minimum	10 megohms minimum
1500V Hi-Pot	1 minute	1 minute	1 minute

Conduct a Surge Comparison Test, using an insulation analyzer such as a P.J. Electronics Coil Insulation Analyzer, Model 6920. Test voltage to be 1500V.

Temporarily "tag and identify" the three leads, randomly as #1, #2, and #3. Do not connect the ground lead. Connect the P. J. Electronics Analyzer as follows:

Analyzer Leads	Winding Leads	Compares
Red Green Black	1 2 3	1-2
Red Green Black	2 3 1	2-3
Red Green Black	3 1 2	1-3

The waves shown on the screen must be the same in either direction of travel (a single wave should be seen). However, if this symmetry is disturbed by a ground, shorted turn, incorrect connection, or the wrong number of turns, the waves for the two directions of travel will differ, and two waves of different shapes will appear on the screen.

ALTERNATOR STATOR ASSEMBLY LEADS

Exciter field leads should be tagged "1-2-3," left to right and should be retagged if required.

If leads are damaged, the alternator stator assembly could require replacement, depending upon the extent of the damage. Reasonable repair should be considered.

VARNISH DIP AND BAKE

Frames may be varnish dipped and baked if deemed necessary. However, if done, use care to maintain varnish-free threaded bolt holes, end frame interfaces, ventilation holes, mounting feet, etc.

ALTERNATOR STATOR REPLACEMENT

If the alternator stator assembly fails to meet the test requirements, the alternator stator assembly will have to be replaced with a new assembly.

Remove the stator assembly from the frame as follows:

1. Drill down through the four frame-to-stator pins. Refer to Figure 8 on page 19.
2. Press the stator assembly out through the end opposite the exciter field assembly.
3. Press new assembly in from the same end and ensure assembly seats flat against the stop in the frame.
4. Drill four new 6.32-6.50 mm (0.246"-0.256"). Refer to Figure 8 on page 19.
5. Install new frame-to-stator pins.




Figure 8. Frame-To-Stator-Pin Holes Location

EXCITER FIELD ASSEMBLY

Electrically test the exciter field assembly as follows:

NOTE

The following formula can be used to convert resistance under ambient (room temperature) conditions to a nominal resistance at 75° C (167° F):

$$R @ 75^{\circ} \text{ C (167}^{\circ} \text{ F)} = R @ \text{ Ambient} \times [309.5 + (\text{Ambient T} + 234.5)]$$

Where:

R=Resistance
T=Temperature

Test	A-8146, A-8147, A-8147-M1, 2A-8147	3A-8147	A-8589
Ohmmeter Resistance at 75°C (167°F)	3.17-3.51 ohms	3.17-3.51 ohms	3.43-3.79 ohms
500V Megger	10 megohms minimum	10 megohms minimum	10 megohms minimum
1500V Hi-Pot	1 minute	1 minute	1 minute
Watt Meter Impedance Test at 110V, 60Hz	38.9-41.5 watts	38.9-41.5 watts	32-34 watts

EXCITER FIELD LEADS

Exciter field leads should be tagged as "F+" and "F-." If they are missing, replace with appropriate tags. The "F+" lead, when viewing exciter field assembly from exciter end of frame, is the lead on the left side.

If the leads are damaged or cutoff less than 292 mm (11-1/2") from the clamp, remove the clamp and cut lead at the clamp. Splice by soldering a length of #16 wire, 320 mm (12-1/2") or longer. Insulate and secure with clamp. Cut wire and apply lug at end of wire 292 mm to 317.5 mm (11-1/2" to 12-1/2") from the clamp.


REASSEMBLY

ROTATING FIELD and ARMATURE ASSEMBLY

Reassemble the rotating field and armature assembly as follows. Refer to Figure 9 on page 21 during reassembly.

1. Apply stopwasher, item 22 of Figure 9 on page 21, to shoulder on shaft.
2. Apply locking key (23) to keyway in shaft.
3. Apply a good grade of rust preventive grease around the shaft and up to the key (23).
4. Apply spacer sleeve (13) to shaft. Wrap outer diameter of spacer sleeve with two layers of 19 mm (3/4") wide, glass-reinforced polyester, adhesive tape, such as Mystik 7830 or Permacell P-246.
5. Apply exciter armature (24) to the shaft by inserting the sleeved field leads through the exciter armature core and sliding the exciter armature onto the shaft and seating against the stop washer (22). Ensure sleeving of the field leads is totally within the iron core of the armature.

6. Apply rectifier mounting assembly (25) to shaft.



- | | |
|---------------------------------|--|
| 1- EXCITER END SEAL | 13- ARMATURE SPACING SLEEVE |
| 2- EXCITER END FRAME | 14- SEAL |
| 3- EXCITER FIELD | 15- END FRAME |
| 4- STATOR FRAME | 16- BEARING HOUSING |
| 5- EYE BOLT | 17- FAN BALANCE WEIGHT* |
| 6- EXCITER LEADS | 18- FAN* |
| 7- ALTERNATOR STATOR ASSEMBLY | 19- SHAFT EXTENSION KEY |
| 8- FAN COVER BAND* | 20- ROTATING ALTERNATOR FIELD ASSEMBLY |
| 9- BALL BEARING | 21- ROTOR BALANCE WEIGHT |
| 10- BEARING HOUSING GASKET | 22- STOP WASHER |
| 11- EXCITER END BEARING HOUSING | 23- ARMATURE LOCKING KEY |
| 12- LOCKNUT AND LOCKWASHER | 24- EXCITER ARMATURE |
| | 25- RECTIFIER MOUNTING ASSEMBLY |

*NOT ON MODEL A-8589

EE30940

Figure 9. Auxiliary Generator Exploded View

NOTE

Notch in bore of rectifier mounting assemblies of Model 3A-8147 (2802925) and Model A-8589 (2803017) must align with key on shaft to permit proper electrical connection.

7. Bolt rectifier mounting assembly (25) to exciter armature assembly (24) using nuts removed at disassembly. Ensure studs are flat against iron core of rectifier mounting assembly. Torque nuts to 1.7-2.3 N•m.
8. Carefully solder all leads to proper lugs. Refer to Figure 4 on page 7. Be careful not to permit globules of solder to form which may short out diodes. After solder has cooled, paint diode side of rectifier mounting assembly with red air-drying enamel.
9. Apply new lockwasher (12) with the twelve tangs facing outward and the one tang which faces rearward fitting in the keyway.
10. Lubricate the threads on the shaft with light machine oil and torque locknut (12) to 373 N•m (275 ft-lbs). If one of the twelve tangs does not line up with a slot on the nut, advance locknut so that proper engagement is possible.
11. Apply approximately 28 grams (1 oz) of Chevron SRI-2 grease to both bearing housings as shown in Figure 10, and apply bearing housings to shaft.




Figure 10. End Frame and Bearing Housing Grease

NOTE

Prior to greasing bearings, ensure bearings are clean. If coated with rust inhibitor, wash bearings with a solvent such as Stoddards Solvent.

WARNING

Provide adequate ventilation when using solvents. The usual precautions should be observed when handling inflammable fluids such as Stoddards Solvent which has a flash point of 46° (257° F).

12. Apply 14 grams (1/2 oz) of Chevron SRI-2 to each side of new ball bearings equally distributed between balls.
13. Apply Loctite No. 601 to clean bearing seat on shaft. Slide new ball bearings over shaft. Apply pressure to inner race until ball bearing is snug against shoulder of shaft. Do not apply pressure to bearing outer race.
14. Assemble new gaskets to both bearing housings.
15. If a major component of the exciter armature and alternator field assembly required a changeout, the assembly must be dynamically balanced to within 720 mg·m (1 in.-oz).

ROTOR TO STATOR FRAME REASSEMBLY

1. Apply approximately 28 grams (1 oz) of Chevron SRI-2 grease to both end housings as shown in Figure 10 on page 22
2. Assemble the rotor into the stator, exciter end of rotor to exciter end of stator, as follows:
 - A. Place the rotor assembly and stator assemblies on stands close enough to each other so that, when a pipe extension is placed over the rotor shaft, the end of the pipe extension will protrude through the stator assembly.
 - B. Place an extension pipe over the exciter end of the shaft.

CAUTION

Protect the portion of the shaft which will be enclosed by the extension pipe to prevent damage to shaft.

- C. With the aid of a suitable hoist, raise the extension pipe until the air gap is equal around the circumference of the rotor. With the aid of a second hoist, raise the other end of the shaft until the shaft is level.
- D. Lift and guide the rotor assembly slowly and carefully so that the insulation will not be damaged. Center the rotor within the stator.

END FRAMES AND BEARING HOUSINGS

NOTE

The exciter end bearing is an open, unclamped bearing. The opposite end bearing must be a clamped bearing. It is important that the proper end frame be used. Models A-8146, A-8147, A-8147-M1, end frames and stator frames have six holes for mounting end frames at both ends; 2A-8147, 3A-8147, and A-8589 have six holes at the exciter end and six holes at the opposite end.

1. Bearing seals may be reused if inspected and determined to be acceptable. Refer to Figure 11 on page 25.
2. Screw a threaded rod into one bearing housing mounting hole. Rod must be long enough to extend through end frame to align bearing housing in next step.

NOTE

The use of the threaded rod into bearing housing mounting bolt hole, in the next step, aligns the bearing housing.

3. Carefully place end frames over shaft and guide threaded rod into one bearing housing mounting bolt hole on end frame.
4. Replace end frame bolts.
5. Insert three bearing housing mounting bolts and pull bearing into place with threaded rod.
6. Remove threaded rod and insert remaining bolt. Torque these bolts to 34-41 N·m (25-30 ft-lbs). Torque end frame bolts to 34-41 N·m (25-30 ft-lbs).
7. Replace fan cover band assembly, on units so equipped.
8. Check rotor shaft runout at outer ends of shaft. Total indicator runout must not exceed 0.076 mm (0.003").




Figure 11. Bearing Assembly, Cross-Section

FINAL TESTING

GENERATED RESIDUAL VOLTAGE

1. Install auxiliary generator in a suitable test stand.
2. Couple generator to a driving motor, such as an auxiliary generator with at least a 10 KW rating, operating as a motor. Rotation to be counterclockwise from the exciter end.
3. Connect auxiliary generator as shown in Figure 12 on page 27.
4. The following instrumentation or equivalent should be used. The part numbers or model numbers listed are suggestions only.
 - A. Driving Motor - 10 KW DC Auxiliary Generator (used as motor)
 - B. VM-SW Switch - Part Number 9098590
 - C. VM-AC Voltmeter - 0-60V RMS - 13/60 Digital
 - D. CT1, CT2, CT3 Current Transformers, 500/5 Ratio, Weston Model 1161 Type 2
 - E. AM-SW Switch - 9098589
 - F. AM-AC Ammeter - 0-5A, Weston Model 370
 - G. VM-DC Voltmeter - 0-75V Digital
 - H. CB-CKT Breaker, 6A - 9531941
 - I. VR Voltage Regulator VR13 - 9528076

- J. CR 3-Phase Rectifier
 - K. Power Supply, 0-15A DC, 0-60V DC, NJE Corp. Model EA 80-8
 - L. SH Shunt, 20A/50 mv
 - M. AM-F Exciter Flo Current - 0-20A/50 mv, Digital
5. Run auxiliary generator at 800 RPM and record residual voltage at no load (open circuit) RMS, line-to-line, using a digital meter. The following MINIMUM voltages MUST be achieved.

Test	A-8146, A-8147, A-8147-M1, 2A-8147	3A-8147	A-8589
Minimum Voltage - No Load RMS, Line-to-Line	1.30	2.50	3.10

NOTE


The residual voltage of an auxiliary generator can regress with time and can vary from machine-to-machine. It may require a "flash" of the exciter field.

6. "Flash" exciter field, if required, as follows:

CAUTION

Ensure the meters connected to measure the residual voltage are disconnected.

- A. Run auxiliary generator at 800 RPM. Rotation to be counter-clockwise from the exciter end.
 - B. Excite the field of the exciter to 14 amps DC for 0.5 minute with reasonable control of build-up and decay of exciting current.
7. Recheck residual voltage and note on Test Sheet that "flashing" was required. If auxiliary generator continues to fall below minimum values, reject and rework by first changing out the rotating alternator field assembly.



FE31006

Figure 12. Test Setup.

NO LOAD SATURATION

1. Run auxiliary generator at 800 RPM (rotation counterclockwise from the exciter end).
2. Run No Load Saturation Check at the following exciter field amps. Run at no load, RMS, line-to-line. Do not hold any one point for more than one minute. The limits are as follows:

Exciter Field Amps	A-8146, A-8147, A-8147-M1, 2A-8147	3A-8147	A-8589
1.0	38.5-44.0	32.8-38.3	60.8-67.3
2.0	61.5-65.0	62.3-65.8	106.8-110.3
3.0	69.0-71.5	75.8-78.3	122.8-125.3
4.0	73.0-75.5	82.8-85.3	129.8-132.3
5.0	76.0-78.5	87.3-89.8	134.6-137.1
6.0	78.0-80.5	90.6-93.1	137.8-140.3
8.0	81.0-83.0	95.5-97.5	143.0-145.0
10.0	83.0-85.0	96.8-98.8	147.0-149.0

SYNCHRONOUS IMPEDANCE

1. Bolt the three phases together and run phase 1, phase 2, and phase 3 through a 500/5 current transformer.
2. Run synchronous impedance check and phase current balance by running machine to 1800 RPM. Excite exciter field to obtain 200A/Phase. Measure and record exciter field amps. Limits are as follows:

Test	A-8146, A-8147, A-8147-M1, 2A-8147	3A-8147	A-8589
Exciter Field Amps to Obtain 200A/Phase	1.60-1.80	3.90-4.40	2.10-2.40

3. Repeat Generated Residual Voltage test. "Flash" exciter field if required.

SELF-EXCITE and REGULATION TEST

1. With auxiliary generator connected as shown in Figure 12 on page 27, run generator at 1000 RPM. Self-excitation should be apparent and 72-76 volts should be observed at output of CR.
2. Increase speed to 1800 RPM and then back to 1000 RPM. Regulation of 72-76 volts should be apparent with the changing of exciter field current.
3. Terminate test by opening CB and shutdown.

SERVICE DATA

SPECIFICATIONS

Nominal Power	18/24 KW @ 0.96 PF
Nominal KVA	19
Nominal Voltage	55V AC Line-To-Line
Nominal Current	199 AC Amps
Speed Range	608 to 2886 RPM (Aux. Gen. speed is 3.04 times engine speed)
Frequency range	20 to 96 Hertz

MATERIAL LIST

Bearing Lubricant, Chevron SRI-2, 16 kg (35 lb Pail)	9327352
Shaft Lubricant	Rust Preventive Grease
Thread Lubricant	Light Machine Oil
Enamel, Red Air Drying, (1 Gal)	8061131
Loctite No. 601 (50 cc)	9505663
Tape, 19 mm (3/4") Glass-Reinforced, Polyester, Adhesive	Mystic 7830 or Permacell P-246